


Lighting Solutions Bluetooth Pack



BLUETOOTH pack

CASAMBI

Casambi version of our fixtures that enables through any Bluetooth® terminal via free APP that offers the control of flow regulation, color, scene configuration, behavior linked to schedules. Multiple accessories can be configured to work on the same network to unify the control of one or more spaces, being able to create groups, scenes and dynamic sequences to measure. The Bluetooth® device is valid for any DALI luminaire.



Functionalities



Accessory that enables the wireless control of dimmable luminaires



A device for luminaire that allows the creation of groups, scenes, dynamics...



Integrated in Bluetooth control networks via free Casambi app.



Remotely controllable device with Smartphone or Android/iOS Tablet.



Without the need for a walkway or other external devices.



It automatically establishes a wireless communications network with a maximum of 127 nodes.




Firmware upgrades can be done without cable connection with any Android device or IOS



Easy implementation of RGB and color temperature regulations.



Up to 15m of range.



Possibility of controlling the power of the driver by means of a relay.



Digital output: Compatible with stand-alone DALI.
Analogic output: Compatible with 1-10V.



Versions with enclosure for interior use (454230) and exterior (550994)



Compatible luminaires

Kentau CL / Kentau SQ *



Breno CL / Breno SQ *



Navi *



Rhoda *




Diane Tech Switch *
Recessed



Diane Tech WAS *
Recessed



Silent I UGR *



Lynx Led Superficie *



Lynx Led Line Superficie *



Lynx Led Empotrar *



Lynx Led Line Empotrar *




Lynx Led Pared *



Stania*



Silent Led V IP65*



Kobe*



Kobe Switch*



Tribola*



Ebro Led*



Miño Led*



* On request

WARNING



CTE Pack solutions apply exclusively to luminaires equipped with a DALI system.

